



UNIVERSITI PUTRA MALAYSIA

**WATER MANAGEMENT FOR KERIAN IRRIGATION SCHEME USING
GEOGRAPHICAL INFORMATION SYSTEM**

MD. ROWSHON KAMAL

FK 2000 37

**WATER MANAGEMENT FOR KERIAN IRRIGATION SCHEME USING
GEOGRAPHICAL INFORMATION SYSTEM**

By

MD. ROWSHON KAMAL

**Thesis Submitted in Fulfilment of the Requirements for the Degree of Master of
Science in the Faculty of Engineering
Universiti Putra Malaysia**

February 2000



**Dedicated
To
My Parents and Alpona**

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in
fulfilment of the requirements for the degree of Master of Science.

WATER MANAGEMENT FOR KERIAN IRRIGATION SCHEME USING GEOGRAPHICAL INFORMATION SYSTEM

By

MD.

February 2000

Supervisor: Associate Professor Kwok Chee Yan

Faculty: Engineering

A GIS-based model was developed to integrate the vast amounts of spatially distributed information of the Kerian Irrigation Scheme. The scheme has a command area of 24,000 ha, comprising eight compartments which is further subdivided into 28 blocks. The model requires the input of spatial and temporal information from various fields to compute irrigation deliveries for the upcoming period. It also runs periodic and seasonal monitoring and evaluation programs to improve water management of the scheme. The system permits display of information in the form of maps for easy visualization. The software MapInfo Professional 4.5 was used to demonstrate the concepts and MapBasic Professional 4.5 programming language for the development of the user-interface tool. The scheduling program computes irrigation deliveries based on spatial and temporal demand of the paddy field by each compartment, block and Secondary Canal. The monitoring program gives information by compartment and by block at the end of each period on uniformity of water distribution to the field as well quantity to be delivered for the next period. The computed discharges were used to monitor the performance of irrigation delivery at the end of each period.

Relative Water Supply (RWS), Water Use Efficiency (WUE), Cumulative Relative Water Supply (CRWS), Water Productivity Index (WPI) and Cropping Intensity (CI) have been used for monitoring and evaluation of the irrigation system performances. Hydro-climatological parameters like Evapotranspiration (ET), Effective Rainfall (ER), Irrigation Depth (IR) and Drainage Requirement (DR) also were computed. The post-season analysis provides weekly distribution of hydro-climatological parameters, irrigation delivery and performance by block. On a weekly basis, RWS and WUE were found to range from 1.01 to 2.24 and 45% to 99% respectively in the main season and 1.01 to 1.87 and 53.6% to 96.2% in the off season. The average values of RWS and WUE were found to be 1.53 and 68.15% in the main season and 1.33 and 78.5% in the off season respectively. The average values of WPI were also found to be 0.1267 and 0.2171 kg/m³ in the main season and off season respectively. The color-coded thematic maps were produced for the monitoring of seasonal yields and cropping intensity by block and compartment of the scheme.

The user-interface technique for the irrigation system promises to provide comprehensive results along with new data sets and improve the decision-making processes in the operation and management of the scheme. The computed results are rapidly displayed allowing the manager to view maps, tables and graphs in a more comprehensive form, allowing time to make appropriate decision as the season progresses. This technique was found to be for improving the irrigation system management along with the actual feedback of the field information.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

**PENGURUSAN AIR UNTUK SKIM PENGAIRAN KERIAN DENGAN
MENGUNAKAN TEKNOLOGI MAKLUMAT GEOGRAFI**

Oleh

MD. ROWSHON KAMAL

February 2000

Supervisor: Profesor Madya Kwok Chee Yan

Faculty: Kejuruteraan

Satu model yang menggunakan GIS telah dibina untuk mengumpul maklumat Skim Pengairan Kerian. Keluasan skim ini adalah 24,000 ha yang terdiri dari 28 blok dalam 8 kompartmen. Model ini memerlukan maklumat tempatan dan semasa yang dikumpul dari blok-blok sebagai input untuk menjangka keperluan penghantaran pengairan untuk jangka masa yang akan datang. Ia juga boleh digunakan untuk mengawal dan menilai prestasi sesuatu projek pengairan secara berkala dan bermusim. Sistem ini menukarkan maklumat dalam bentuk peta supaya ia mudah digambarkan. Perisian MapInfo Professional 4.5 telah digunakan untuk menunjukkan konsep-konsep dan Program MapBasic Professional 4.5 pula digunakan sebagai alat-alat kawalan yang berdasarkan pengguna. Pengaturcaraan program mensimulasikan penghantaran pengairan berdasarkan keperluan tempatan dan semasa sawah padi untuk setiap kompartmen, blok dan terusan sekunder. Program Pengawasan pula memberikan maklumat berkaitan sistem pengagihan pengairan berdasarkan kuantiti yang perlu dibekalkan bagi setiap kompartmen dan blok bagi satu jangkamasa

hadapan. Pengiraan bekalan digunakan bagi mengawal peristasi penghantaran pengairan pada setiap penghujung suatu pengairan. Jumlah Bekalan Air Relatif (RWS), Kecekapan Guna Air (WUE), Bekalan Air Relatif Kumulatif (CRWS), Indeks Produktiviti Air (WPI), dan Keamatan Penanaman (CI) telah digunakan untuk mengawal dan menilai prestasi sistem pengairan ini. Selain ini, parameter-parameter hidro-klimatologikal seperti Sejat Pemelukan (ET), Hujan Berkesan (ER), Kedalaman Pengairan (IR) dan Keperluan Penanaman (DR) juga telah diambil kira. Berdasarkan keputusan mingguan, RWS dan WUE didapati bernilai di antara 1.01 hingga 2.24 dan 45% hingga 99% pada musim-musim utama, dan 1.01 hingga 1.87 dan 53.6% hingga 96.2% semasa di luar musim tanaman. Nilai purata untuk WPI yang didapati pula ialah 0.1267 dan 0.2171 kg/m³ masing-masing pada musim penanaman dan di luar musim. Peta tematik yang mempunyai kod warna juga telah dihasilkan untuk mengawal hasil-hasil semusim dan intensiti tanaman berdasarkan blok dan kompartman bagi skim tersebut.

Teknik antaramuka pengguna untuk sistem pengairan menjanjikan pemerolehan keputusan yang menyeluruh dengan set-set data yang baru. Ini dapat meningkatkan proses membuat keputusan dalam operasi dan pengurusan untuk suatu skim. Keputusan simulasi dapat dipaparkan dengan cepat, ini membolehkan pengurus untuk sesuatu projek melihat peta, jadual dan graf dengan cara yang lebih menyeluruh serta membuat keputusan yang wajar untuk sesuatu musim penanaman. Dengan maklum balas yang sebenar dari lapangan, kajian adalah sangat berguna untuk memperbaiki sistem pengairan.

ACKNOWLEDGEMENTS

All praises are due to Almighty Allah. It is my pleasure to express my heartfelt indebtedness and appreciation to my Supervisor Associate Professor Kwok Chee Yan for his worthy inspiration and vigilant guidance for my research work. My thanks and indebtedness go to my co-supervisors Dr. Lee Teang Shui and Dr. Abdul Aziz Zakaria for their very constructive criticism and advice during the study.

This research was fully supported by Malaysian Government IRPA (Intensified Research Priority Areas) Project Grant (Project No. 01-02-04-131) entitled "Water Management Performance Criteria and Efficiency Indices for Irrigated Rice". I am indebted to the Ministry of Science, Technology and Environment, Government of Malaysia for funding this study through an IRPA Grant. I am also extremely grateful to the project leader (Associate Professor Kwok Chee Yan) for appointing me as a Graduate Research Assistant (GRA) during my study period. I would like to thank Associate Professor Dr. Mohd. Amin Bin Mohd. Soom for his worthy inspiration.

I also wish to record my appreciation to Jabatan Pengairan dan Saliran (Irrigation and Drainage Department, DID), Began Serai for their co-operation



during data collection. I am extremely grateful to Mr. Mohd. Jamil Chew, Kerian Irrigation Scheme for providing accommodation and friendly company for me during the data collection period. Also not forgetting Mr. Mohd Mr. Mohd. Gazzali Kassim, Lab Assistant of the Geographical Information System (GIS) Laboratory, Faculty of Engineering for his invaluable technical advice and cooperation.

Finally my greatest line of appreciation goes to my parents, brothers, sisters and grandmother who provided mental support and encouragement for my higher study; and, Alpona who provided much of the enthusiasm and moral support in completing this study. I express my deepest gratitude and appreciation to Dr. G. C. L. Wyseure, Dr. Abdul Mojid, Dr. Mesbah Ahmmed and Dr. Francois Molle for providing their worthy advice and welfare for my higher studies.

I would like to extend my appreciation to all my well wishers. Last but not least, I am thankful to all of my friends who had helped me in one way or the other.

To Him be the final grace.

I certify that an Examination Committee met on 21 February, 2000 to conduct the final examination of Md. Rowshon Kamal, on his Master of Science thesis entitled "Water Management for Kerian Irrigation Scheme using Geographical Information System" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

MOHD. AMIN MOHD. SOOM , Ph.D.

Associate Professor
Department of Biological and Agricultural Engineering
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)




KWOK CHEE YAN, MS

Associate Professor
Department of Biological and Agricultural Engineering
Faculty of Engineering
Universiti Putra Malaysia
(Member)




LEE TEANG SHUI, Ph.D.

Lecturer
Department of Biological and Agricultural Engineering
Faculty of Engineering
Universiti Putra Malaysia
(Member)



ABDUL AZIZ ZAKARIA, Ph.D.

Senior Lecturer
Department of Biological and Agricultural Engineering
Faculty of Engineering
Universiti Putra Malaysia
(Member)



MOHD. GHAZALI MOHAYIDIN, Ph.D.
Professor/ Deputy Dean of Graduate School
Universiti Putra Malaysia

Date: **27 MAR 2000**

This thesis was submitted to the Senate of Universiti Putra Malaysia and was accepted as fulfillment of the requirements for the degree of Master of Science.



KAMIS AWANG, Ph.D.

Associate Professor/ Deputy Dean of Graduate School
Universiti Putra Malaysia

Date: **11 MAY 2000**

Statement of Originality

I hereby declare that the thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at UPM or other institutions.



MD. ROWSHON KAMAL

Date: 17/4/00

TABLE OF CONTENTS

	Page
DEDICATION.....	ii
ABSTRACT.....	iii
ABSTRAK.....	v
ACKNOWLEDGEMENTS.....	vii
APPROVAL SHEETS	ix
DECLARATION FORM	xi
LIST OF TABLES.....	xvi
LIST OF FIGURES.....	xvii
LIST OF PLATES.....	xxiv
LIST OF ABBREVIATIONS.....	xxv

CHAPTER

I	INTRODUCTION	1
	Objectives	5
II	LITERATURE REVIEW	6
	Irrigation Development and Challenges in Malaysia ..	6
	Irrigation and Water Management for Rice	8
	Water Balance Approach for Rice Irrigation Management	15
	Geographical Information System	16
	History and Development of GIS	16
	Definitions of GIS and its Components	17
	Key Points of Geographical Information System	20
	Application of Geographical Information System	21
	Scope of GIS in Irrigation System Management	23
	User-interface for Irrigation Management	25
	Application of GIS for Irrigation and Water Management System	25



III	THEORETICAL FRAMEWORK AND MODEL CONCEPTUALIZATION	35
	Water Balance Calculation	37
	Irrigation Duties	39
	Irrigation System Efficiency, E_s	42
	Depth of Diversion Irrigation Water, IR_t	43
	Surface Runoff, SR_t	44
	Effective Rainfall, ER_t	44
	Evapotranspiration, ET_t	45
	Seepage and Percolation, SP_t	46
	Drainage Requirement, DR_t	47
	Net Irrigation Requirement, NIR_t	48
	Targeted Diversion Water Supply, Q_d	48
	Predicted Diversion Water Supply, Q_p	49
	Indices for Water Management System for Rice Irrigation	52
	Relative Water Supply, RWS_t	52
	Water Use Efficiency, WUE_t	53
	Cumulative Relative Water Supply, $CRWS$	54
	Cropping Intensity, CI	55
	Water Productivity Index, WPI	56
	Basic Framework of the GIS Based Water Management Model	56
IV	METHODOLOGY	58
	Description of Study Area	58
	Location of Study Area	58
	Present Condition of Kerian Irrigation Scheme.	59
	Methods of Paddy Cultivation	65
	Irrigation Networks in Kerian Irrigation Scheme	65
	Drainage Networks in Kerian Irrigation Scheme	67
	Water Management and Operation Systems	68
	Performance Assessment Program	69
	Climate Condition	70
	Topography of Study Area	71
	Characteristics of Soil	71
	Resources Used for Project Implementation	72
	MapInfo Professional Software 4.5	72
	MapBasic Professional Programming 4.5	73

GIS Database Structures	74
Data Collection	75
Selection Map Layers and Hydro-climatological Data	75
Digitizing Map Features of Kerian Irrigation Scheme	76
Building GIS Database	78
GIS User-interface for Irrigation Water Management	80
Development of GIS User-interface Tool for Rice Irrigation Management	81
Development of GIS User-interface for Scheduling Irrigation Deliveries	83
User-interface for Irrigation Deliveries during a Land Preparation	84
User-interface of Scheduling Irrigation Deliveries during Normal Supply	88
Scheduling Irrigation Deliveries for the Normal Supply by Compartments.....	90
Scheduling Irrigation Deliveries for the Normal Supply by Block	96
Scheduling Irrigation Deliveries for the Normal Supply by CHO	97
Development of GIS User-interface for Monitoring Rice Irrigation System	99
Description of GIS User-interfaces for Monitoring Irrigation System	101
Development of GIS User-interface for the Post-season Analysis of the Rice Irrigation System	105
Description of User-interfaces for the Evaluation of Rice Irrigation System	107
Description of the Module of Yield and Water Productivity Index, WPI	109
Description of the Module of Cropping Intensity, CI	111
V RESULTS AND DISCUSSIONS	113
Scheduling Irrigation Deliveries for Rice Irrigation ...	114
Irrigation Deliveries during Land Preparation Period by Compartment	114
Irrigation Deliveries during the Normal Supply Period by Compartment	117

	Monitoring Irrigation System for Rice	121
	Monitoring Irrigation System by Compartment	121
	Post-season Analysis for Evaluation of the Rice	
	Irrigation System	127
	Evapotranspiration (ET) and Effective Rainfall	
	(ER)	129
	Diversion Irrigation Water Supply (DWS) and	
	Irrigation Requirement (IR)	132
	Drainage Requirement (DR)	136
	Relative water Supply (RWS) and Water Use	
	Efficiency.....	137
	Evaluation of Irrigation Deliveries by Block ...	140
	Cumulative Relative Water Supply (CRWS) ...	141
	Yield of Kerian Irrigation Scheme	143
	Water Productivity Index (WPI)	144
	Cropping Intensity, CI	147
VI	SUMMARY, CONCLUSIONS AND	
	RECOMMENDATIONS	149
	Summary	149
	Conclusions	152
	Recommendations	154
	BIBLIOGRAPHY	156
	APPENDICES	
A	Computed Results: Compartment F, Main Season,	
	1997/88 (1 August 1997 to 28 February 1998).....	167
B	Computed Results: Compartment F, Off Season,	
	1997 (1 March to 31 July,).....	173
C	Computation of Water Productivity Index (WPI in	
	kg/m ³	179
D	Name of the Control Dialogs and Functions	182
E	Digitized Map of Kerian Irrigation Scheme	183
	BIODATA OF AUTHOR	184

LIST OF TABLES

Table		Page
2.1	Elements of GIS (Source: Chan and Williamson (1995))	19
4.1	General Fetures of Irrigation and Drainage Systems of Kerian Irrigation Scheme, Began Serai, Perak.....	62
4.2	The List of Selected Map Layers for the Digitizing of Kerian Irrigation Scheme,.....	76

LIST OF FIGURES

Figure		Page
3.1	Water Balance Components of a Model in a Paddy Field	37
3.2	Flow Region for Seepage and Percolation in the Paddy Field....	38
3.3	Diagram Showing the Water Depth in the Paddy Field	50
4.1	Showing Location of Kerian Irrigation Scheme, Bagan Serai ...	58
4.2	Thematic Map Represents Net Irrigation Area for Individual Compartment of Kerian Irrigation Scheme	59
4.3	Thematic Map Represents Net Irrigation Area of Blocks of Kerian Irrigation Scheme by the Range of Values	60
4.4	Water Distribution from Bukit Merah Reservoir and Bogak Pump Station through Canal Systems to Rice Field	65
4.5	Thematic Map Showing the Irrigation Networks of the Kerian Irrigation Scheme	65
4.6	Showing Drainage Network of Kerian Irrigation Scheme	66
4.7	A Schematic Diagram for Evaluation of Irrigation Efficiency (Source: DID Perak Darul Ridzuan, 1995)	69
4.8	Showing Control Points of Digitized Map.....	76
4.9	Flowchart Showing Development of GIS Database.....	78
4.10	GIS Database and Decision-Making Process.....	78
4.11	Schematic Diagram Showing Procedure of User-interface Techniques of Scheduling, Monitoring and Post-season Analysis for the Evaluation of the Kerian Irrigation Scheme.....	82

4.12	Menu Item Compartment Invokes Dialog Window for Delivering Irrigation Supply during the Presaturation period. ...	84
4.13	Dialog Window for Irrigation Deliveries to the Compartment A	85
4.14	Dialog Window for Irrigation Deliveries to the Individual Block of Compartment A.....	86
4.15	Recommended Presaturation Irrigation Supply of the Compartment A.....	87
4.16	Recommended Presaturation Irrigation Supply of the Individual Block of Compartment A.....	87
4.17	Showing Custom Menu Scheduling and its Menu Items within the MapInfo Menu Bar.....	88
4.18	Schematic Diagram Showing Design and Operation System of User- interface Scheduling Technique Developed by MapBasic Program	89
4.19	Main Menu Scheduling Comprises Menu Items Compartment (A - H) and Calling Dialog Windows from Compartment F	91
4.20	Showing Dialog Window of Compartment F for Scheduling by Compartment in Main Season, 1997/98	91
4.21	Showing Dialog Window of Compartment F for Scheduling by Compartment in Off-Season, 1997.....	92
4.22	Showing Recommended Irrigation Supply for Compartment in Main Season	93
4.23	Showing Recommended Irrigation Supply for Compartment in the Off Season	94
4.24	Message Dialog Box for "About Scheduling".....	94
4.25	Giving Message for Choosing or Repeated Analysis Process ...	94
4.26	Message for Removing Dialog Window.....	95

4.27	Message for Removing Menu Scheduling from MapInfo Menu Bar.....	95
4.28	Dialog Window for Simulating Irrigation Deliveries by Block ..	96
4.29	Recommended Irrigation Supply for CHOs of Block 7 under Compartment F.....	97
4.30	Dialog Window for Simulating Irrigation Supply by CHO of Compartment F.....	98
4.31	Recommended Irrigation Supply for CHO Ali Kalang 2	98
4.32	Schematic Diagram Showing Procedure of User-interface Periodical Monitoring Technique of the Kerian Irrigation Scheme.....	100
4.33	Menu Item Monitoring Irrigation System Invokes Dialog Window for Monitoring Irrigation System.....	101
4.34	Dialog Window for Monitoring Irrigation System by Compartment.....	102
4.35	Dialog Window for Monitoring Irrigation System by Block.....	103
4.36	Schematic Diagram Showing Procedure of User-interface Post-season Analysis Technique for the Both Main Season and Off-Season of the Kerian Irrigation Scheme	105
4.37	The User-interface Evaluation Technique of the Irrigation System Invokes Dialog Window for Post-season Analysis	106
4.38	Showing computed results by compartment F for the Main Season	104
4.39	Showing computed results by block for the Main Season	104
4.40	Dialog Window for the Post-season Analysis of Irrigation System in the Main Season, 1997/98	107

4.41	Dialog Window for the Post-season Analysis of Irrigation System in the Off Season, 1998.....	108
4.42	Menu Structure of User-interface GIS Technique for Analysis of the Yields and Water Productivity Index.....	109
4.43	Dialog Window for the Analysis of Yields and Water Productivity Index of the Kerian Irrigation Scheme.....	109
4.44	Menu Structure of User-interface GIS Technique for Analysis of the Cropping Intensity.....	110
4.45	Dialog Window for the Analysis of Cropping Intensity of the Kerian Irrigation Scheme.....	111
5.1	Irrigation Supply of Individual CHO under Compartment A during Land Preparation Period.....	114
5.2	Represents the Recommended Irrigation Supply of the Individual CHO under Compartment A during Land Preparation Period	115
5.3	Thematic Map Represents the Recommended Irrigation Supply of the Individual CHO under Compartment A and the track of Water Distribution during Land Preparation Period	116
5.4	Recommended Irrigation Supply of Individual CHO under Compartment F during 10 October to 16 October 1997	117
5.5	Showing Planted Area and Cultivable Command Area under the Individual CHO of Compartment F	118
5.6	Recommended Discharge for the Compartment and its Blocks and CHOs for a Week in the Main Season	118
5.7	Thematic Map Showing Recommended Irrigation Supply along with the Irrigation Structures in Targeted Areas	119
5.8	Thematic Map Showing Recommended Discharges by Block during the Period from 7th October to 13th October 1997 in the Main Season	119

5.9	Browser Window Represents the Weekly Recommended Results for Different Blocs of the Compartment F in Main Season	122
5.10	Represents Water Distributions through Canal Systems and Irrigation Structures into the Different Block of Compartment F	123
5.11	The Thematic Bar Chart of RWS and WUE in the Different Blocks of the Compartment F for a Period of 10 October to 16 October 1997 in the Main Season.....	123
5.12	The Color-coded Thematic Map Represents Spatial Variations of the RWS in the Different Blocks of Compartment F	124
5.13	The Color-coded Thematic Map Represents Spatial Variations of the WUE in the Different Blocks of Compartment F	124
5.14	The Thematic Bar Chart Represents Spatial Variations of the Recommended Results of IR, RF, ER, DR and TWD for the Block 7 for the Period of 10 October to 16 October 1997	125
5.15	CheckBox Dialog "Evaporation and Evapotranspiration, cm" Views Weekly ET of the Kerian Irrigation Scheme for the Main Season, 1997/98.	129
5.16	CheckBox Dialog "Evaporation and Evapotranspiration, cm" Views Weekly ET of the Kerian Irrigation Scheme for the Off Season, 1997.	130
5.17	CheckBox Dialog "Rainfall and Effective Rainfall, cm" Views Weekly Distribution of Rainfall and Effective Rainfall of the Kerian Irrigation Scheme for the Main Season, 1997/98.	131
5.18	CheckBox Dialog "Rainfall and Effective Rainfall, cm" Views Weekly Distribution of Rainfall and Effective Rainfall of the Kerian Irrigation Scheme for the Off Season, 1997.	131
5.19	CheckBox Dialog "Predicted and Observed DWS, cusec" Views Weekly Distribution of Observed and Predicted Irrigation Deliveries for the Compartment F in the Main Season, 1997/98.	132

5.20	CheckBox Dialog "Predicted and Observed DWS, cusec" Views Weekly Observed and Predicted for the Compartment F in the Off Season, 1997.	134
5.21	CheckBox Dialog "Irrigation Supplied and Max. Water Depth Maintained, cm" Views Weekly Distribution of Irrigation Depth for the Compartment F in the Main Season, 1997/98.	135
5.22	CheckBox Dialog "Irrigation Supplied and Max. Water Depth Maintained, cm" Views Weekly Distribution of Irrigation Depth for the Compartment F in the Off Season, 1997.....	135
5.23	CheckBox Dialog "Drainage Requirement, cm" Views Weekly Distribution of Irrigation Depth for the Compartment F in the Main Season, 1997/98.	136
5.24	CheckBox Dialog "Drainage Requirement, cm" Views Weekly Distribution of Irrigation Depth for the Compartment F in the Off Season, 1997.	137
5.25	CheckBox Dialog "Relative Water Supply and Water Use Efficiency" Views Weekly Distribution of RWS and WUE for the Compartment F in the Main Season, 1997/98.....	138
5.26	CheckBox Dialog "Relative Water Supply and Water Use Efficiency" Views Weekly Distribution of RWS and WUE for the Compartment F in the Off Season, 1997.....	139
5.27	CheckBox Dialog "Compare Relative Water Supply with RWS = 1 and RWS = 1.5" Views Irrigation Deliveries Performance by Block of Compartment F in the Main Season, 1997/98.	140
5.28	CheckBox Dialog "Compare Relative Water Supply with RWS = 1 and RWS = 1.5" Views Irrigation Deliveries Performance by Block of Compartment F in the Off Season, 1997.....	141
5.29	CheckBox Dialog "Cumulative Relative Water Supply, CRWS " Views Irrigation Deliveries Performance by Block of Compartment F in the Main Season, 1997/98.....	142

5.30	CheckBox Dialog "Cumulative Relative Water Supply, CRWS " Views Irrigation Deliveries Performance by Block of Compartment F in the Off Season, 1997.....	143
5.31	CheckBox Dialog "Comparison Yields by Block" Views the Seasonal Yields by Block of the Kerian Irrigation Scheme.....	144
5.32	CheckBox Dialog "WPI for Main Season" Views the Seasonal WPI by the Color-coded Map by Block for the Main Season.	145
5.33	CheckBox Dialog "WPI for Off Season" Views the Seasonal WPI by the Color-coded Map by Block for the Off Season.....	145
5.34	CheckBox Dialog "Seasonal Comparison of WPI by Block" Views the Seasonal WPI by the Thematic Bar Chart on the Block Map.	146
5.49	CheckBox Dialog "Display Thematic Map" Views the Seasonal Cropping Intensity by the Color-coded Thematic Map by Compartment.	147

LIST OF PLATES

Plate		Page
4.1	Intake Gate Releasing Irrigation Water from Bukit Merah Reservoir to Main Canal Besar and Selinsing	63
4.2	Diverting Water from River to Main Canal for Irrigation at the Bogak pump Station	63
4.3	Showing Irrigation Supply from Main Canal to Secondary Canal (Main System) through Constant Head Orifice (CHO) ..	64
4.4	Distributing Irrigation Supply from Secondary Canal to Tertiary Canal through Constant Head Orifice (CHO)	64
4.5	Showing Water Wastage due to Drainage from Irrigation Scheme through Tidal Gate to Melaka Sea.....	68